

h



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/850,382	05/07/2001	Gerard J. Holzmann	Holzmann 18	2715
27964	7590	06/17/2004	EXAMINER	
HITT GAINES P.C. P.O. BOX 832570 RICHARDSON, TX 75083			YIGDALL, MICHAEL J	
			ART UNIT	PAPER NUMBER
			2122	

DATE MAILED: 06/17/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

h

Office Action Summary	Application No. 09/850,382	Applicant(s) HOLZMANN, GERARD J.	
	Examiner Michael J. Yigdoll	Art Unit 2122	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 07 May 2001 and 14 March 2002.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-16 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-16 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 03 August 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>03/12/2002</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. Claims 1-16 are pending and have been examined. The priority date considered for the application is May 8, 2000.

Double Patenting

2. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

3. Claims 1-16 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claim 1-23 of copending Application No. 09/809,499. Although the conflicting claims are not identical, they are not

patentably distinct from each other because they both recite analogous methods, systems and apparatuses for extracting a verification model from source code and for verifying the model with a model checker.

For example, claim 1 of both applications recites defining a control flow, generating source strings, using mapping or conversion rules to translate the source strings to a target language, and generating a verification model according to the control flow and the translation. Claim 11 of the instant application and claim 20 of App. No. 09/809,499 additionally recite a model checker for checking the model according to a property or properties.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

4. Claims 1-16 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-23 of U.S. Patent No. 6,353,896. Although the conflicting claims are not identical, they are not patentably distinct from each other because they both recite analogous methods, systems and apparatuses for extracting a verification model from source code and for verifying the model with a model checker.

For example, claim 1 of the instant application and claims 1-3 of the patent recite using a translation map or mapping rules to convert the source code to a model for verification. Claims 11 and 12 of the instant application additionally recite checking the model with a SPIN model checker, as recited in claims 5 and 6 of the patent.

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 1-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pat. No. 6,625,797 to Edwards et al. (hereinafter "Edwards") in view of U.S. Pat. No. 5,615,137 to Holzmann et al. (hereinafter "Holzmann").

With respect to claim 1, Edwards discloses a method for extracting a verification model from source code (see the abstract and FIG. 1) comprising the steps of:

defining a control flow for procedures in the source code (see column 3, lines 36-39, which shows defining control flow paths for functions or procedures in the source code);

generating source strings for selected elements of the source code (see column 6, lines 4-14, which shows generating sequences of source bytecodes, i.e. source strings);

associating the source strings to an interpretation according to a plurality of prioritized mapping rules (see column 6, lines 15-25, which shows associating the source bytecodes or strings with nodes of a flow graph based on a specification, and column 3, lines 22-35, which further shows annotating the nodes with mapping rules for the implementation);

applying the associated interpretation to the source strings to translate the source strings to strings of a target language (see column 5, lines 39-44, which shows applying the flow graph representation to translate the source code to a target language);

generating the verification model in the target language, the generating step including the step of populating the control flow with the strings of the target language, wherein the verification model conforms to the control flow (see column 6, lines 26-42, which shows generating the implementation or model based on the flow graph, and column 5, line 62 to column 6, line 2, which shows populating the graph with the nodes and control flow paths).

Although Edwards discloses optimizing the model with techniques such as logic reduction (see column 8, lines 42-54), Edwards does not expressly disclose the step of: optimizing the verification model according to a property to be verified.

However, Holzmann discloses a system for optimizing a model with state space reduction according to properties to be verified (see the abstract and column 2, lines 15-23), for the purpose of verifying, for example, a control system design (see column 1, lines 16-35).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to supplement the optimizations disclosed by Edwards with those taught by Holzmann, for the purpose of verifying the correctness of the model according to a property.

With respect to claim 2, Edwards further discloses the limitation wherein the plurality of mapping rules comprises at least one explicit mapping (see column 9, lines 21-25 and column 18, lines 11-16, which show examples of explicit mappings).

With respect to claim 3, Edwards further discloses the limitation wherein the plurality of mapping rules comprises at least one data restriction (see column 10, lines 46-57, which shows a data restriction based on data type precision).

With respect to claim 4, Edwards further discloses the limitation wherein the plurality of mapping rules comprises at least one default type rule (see column 10, lines 35-46, which shows defaulting to the maximum data type precision).

With respect to claim 5, Edwards further discloses the limitation wherein the plurality of mapping rules comprises at least one explicit mapping, at least one data restriction and at least one default type rule (see column 9, lines 21-25 and column 18, lines 11-16, which show examples of explicit mappings; see also column 10, lines 46-57, which shows a data restriction based on data type precision; see also column 10, lines 35-46, which shows defaulting to the maximum data type precision).

With respect to claim 6, Edwards further discloses the limitation wherein associating the source strings to an interpretation according to a plurality of prioritized mapping rules comprises the further steps of, for each source string:

(a) searching a lookup table for an explicit mapping that matches the source string (see column 9, lines 21-25 and column 18, lines 11-16, which show examples of explicit mappings that match portions of the source code; note that a lookup table or some other analogous data structure is inherently searched for such mappings);

(b) if a matching explicit mapping is found in step (a), associating the source string to the interpretation corresponding to the explicit mapping (see column 6, lines 15-25, which shows

Art Unit: 2122

associating the source bytecodes or strings with nodes representing the target implementation, i.e. corresponding to the explicit mappings);

(c) if no matching explicit mapping is found in step (a), determining if a data restriction applies to the source string (see column 10, lines 26-32, which shows determining a data restriction, e.g. precision, when there is no explicit definition or mapping);

(d) if a single applicable data restriction is determined in step (c), associating the source string to the interpretation corresponding to the single applicable data restriction (see column 10, lines 46-57, which shows applying the data restriction to the nodes from the source code);

(e) if a plurality of applicable data restrictions are determined in step (c), selecting one of the applicable data restrictions and associating the source string to the interpretation corresponding to the selected data restriction (see column 10, line 58 to column 11, line 7, which shows selecting and applying one data restriction from a plurality of data restrictions);

(f) if no applicable data restriction is found in step (c), associating the source string to the interpretation according to a default type rule (see column 10, lines 35-46, which shows applying a default data type rule, e.g. precision, when a data restriction has not been found).

With respect to claim 7, Edwards further discloses the limitation wherein the lookup table contains source string patterns representing a plurality of entries in the lookup table, wherein searching the lookup table includes searching for the source string patterns (see column 10, lines 9-14, which shows detecting keywords in the source code, i.e. source string patterns, to identify a mapping to the target implementation).

With respect to claim 8, Edwards further discloses the limitation wherein the application of the mapping rules causes the translating of the source strings to respective equivalent statements in the target language when the selected source code elements are fully relevant to a property to be tested and the translating of the source strings to null statements in the target language when the selected source code elements are irrelevant to the property to be tested (see column 8, line 56 to column 9, line 10, which shows reducing the flow graph so that only those source code elements relevant to the target implementation will be translated; note that because null statements are analogous to no-op statements, it would have been obvious to one of ordinary skill in the art at the time the invention was made to translate the irrelevant source code elements to null or no-op statements rather than not including them in the model).

With respect to claim 9, Edwards further discloses the limitation wherein the source code is selected from the group comprising C, C++, and Java (see column 6, lines 4-14, which shows that the source code may be written in the C, C++ or Java languages).

7. Claims 10-12, 15 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Holzmann in view of Edwards.

With respect to claim 10, Holzmann discloses, in a computer-based model checker, a method for automatically verifying a property of a system using the system source code, the model checker operable to check a verification model for the property (see column 3, lines 38-64, which shows a model checker for verifying a property of a system).

Although Holzmann discloses modeling a system for verification (see the abstract) and inputting both the system description, i.e. the verification model, and a representation of the

property to the model checker (see column 3, lines 38-64), Holzmann does not expressly disclose additional steps recited in the claim.

However, Edwards discloses a method for extracting a model of a system (see the abstract and FIG. 1) comprising the steps of:

inputting the source code, a conversion table, a representation of the property and an optional preferences file to the apparatus, the conversion table including strings corresponding to strings of the source code and interpretations mapped to the strings, the preferences file including interpretations for overriding default rule interpretations (see column 6, lines 4-14, which shows inputting the source code, and column 3, lines 22-35, which shows inputting annotations or preferences for overriding default implementations; see also column 9, lines 21-25 and column 18, lines 11-16, which show examples of conversions corresponding to portions of the source code to mapped to implementations; note that a conversion table or some other analogous data structure is inherently provided for such conversions);

programming the model checker with default rule interpretations, wherein the default rule interpretations when applied by the model checker translate source code strings to a language of the model checker (see column 6, lines 15-25, which shows generating a flow graph representation based on a specification, i.e. default rules, and column 5, lines 39-44, which shows applying the representation to translate the source code to a target language);

defining a control flow for each procedure in the source code (see column 3, lines 36-39, which shows defining control flow paths for functions or procedures in the source code);

selecting source code strings for translation from the source code to the language of the model checker (see column 6, lines 4-14, which shows selecting source code sequences or strings for translation);

for each selected string, according to a predetermined priority:

searching the conversion table for entries corresponding to the selected string (see column 9, lines 21-25 and column 18, lines 11-16, which show examples of conversions corresponding to portions of the source code; note that a conversion table or some other analogous data structure is inherently searched for such entries);

translating the selected string according to the interpretation mapped to the selected string (see column 6, lines 15-25, which shows translating the source code to a corresponding flow graph having nodes mapped to the source sequence or string);

applying the default rule interpretation corresponding to the selected string (see column 6, lines 15-25, which shows applying a specification, i.e. default rules); and

overriding the default rule interpretation according to an entry in the preferences file (see column 6, lines 26-24, which shows applying constraints and preferences to override the default rules);

populating the control flow with the interpretations to provide the verification model (see column 6, lines 26-42, which shows generating the implementation or model based on the flow graph, and column 5, line 62 to column 6, line 2, which shows populating the graph with the nodes and control flow paths).

Holzmann further discloses the step of:

checking the verification model for the property (see column 3, lines 38-64, which shows checking the system description, i.e. the verification model, for the property).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use the model extraction features taught by Edwards in the model checking system of Holzmann, for the purpose of automatically generating a model of a system with which to optimize and verify the design (see Edwards, column 1, line 62 to column 2, line 2, and Holzmann, column 1, lines 16-35).

With respect to claim 11, Holzmann discloses a computer-based model checker (see column 3, lines 38-64) comprising:

a processor for executing instructions (note that a processor is inherently used to execute instructions in the model checking system);

storage accessible to the processor for storing the instructions, a lookup table, default rules, source code of a system, a property to be verified and an optional preferences file (note that storage is inherently accessible to the processor in the model checking system).

Although Holzmann discloses modeling a system for verification (see the abstract) and providing a property to be verified (see column 3, lines 38-64), Holzmann does not expressly disclose additional features recited in the claim.

However, Edwards discloses a system for extracting a model of a system (see the abstract and FIG. 1) comprising program code or instructions (see column 21, lines 30-34), the instructions causing the processor to:

parse the source code and to define a control flow for procedures in the source code (see column 4, lines 40-45, which shows parsing the source code, and column 3,

Art Unit: 2122

lines 36-39, which shows defining control flow paths for functions or procedures in the source code);

generate source strings for selected source code elements (see column 6, lines 4-14, which shows generating source code sequences or strings);

selectively associate the source strings to an interpretation according to a plurality of mapping rules, including mapping rules defined in the lookup table, in the default rules and in the optional preferences file (see column 6, lines 15-25, which shows associating the source strings with nodes of a flow graph according to a specification, i.e. default rules, and column 3, lines 22-35, which shows annotations or preferences applied to the association; see also column 9, lines 21-25 and column 18, lines 11-16, which show examples of mapping rules; note that a lookup table or some other analogous data structure is inherently defined for such mappings);

apply the associated interpretation to the source strings to translate the source strings to strings which can be operated on by the model checker (see column 5, lines 39-44, which shows applying the flow graph to translate the source code to a target language);

populate the control flow with the strings, the populated control flow being a verification model (see column 6, lines 26-42, which shows generating the implementation or model based on the flow graph, and column 5, line 62 to column 6, line 2, which shows populating the graph with the nodes and control flow paths).

Holzmann further discloses causing the processor to:

check the verification model for the property (see column 3, lines 38-64, which shows checking the system description, i.e. the verification model, for the property); and an output device responsive to the processor for providing a result of the check (see column 3, lines 38-64, which shows outputting a result of the check; note that an output device is inherently used to provide the output).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use the model extraction features taught by Edwards in the model checking system of Holzmann, for the purpose of automatically generating a model of a system with which to optimize and verify the design (see Edwards, column 1, line 62 to column 2, line 2, and Holzmann, column 1, lines 16-35).

With respect to claim 12, Holzmann further discloses the limitation wherein the model checker is a SPIN model checker (see column 3, lines 50-52, which shows a SPIN model checker).

With respect to claim 15, Holzmann in view of Edwards further discloses the limitation wherein the lookup table includes entries corresponding to branch conditions (see Edwards, column 12, line 61 to column 13, line 12, which shows conditional branches and thread branches applied to the flow graph).

With respect to claim 16, Holzmann in view of Edwards further discloses the limitation wherein the entries corresponding to branch conditions include entries for introducing a nondeterministic choice to the verification model (see Edwards, column 12, line 61 to column

13, line 12, which shows that the thread branches provide multiple control flow outputs without input data, introducing a nondeterministic choice).

8. Claims 13 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Holzmann in view of Edwards as applied to claim 11 above, and further in view of U.S. Pat. No. 6,389,385 to King.

With respect to claim 13, Holzmann in view of Edwards does not expressly disclose the limitation wherein the interpretations comprise print, hide, comment and keep, wherein print embeds the source string into a print action of the model checker, hide excludes the source string from representation in the verification model, comment includes the source string in the verification model as a comment, and keep preserves the source string in the verification model.

However, King discloses a system for translating source code using a mapping table (see the abstract and block 74 in FIG. 2), wherein source characters or strings are translated and printed to the model, replaced with markers and excluded from the model, or included and preserved as comments (see FIG. 2 and column 3, lines 10-31).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to supplement the model checking and extraction system of Holzmann and Edwards with print, hide, comment and keep interpretations having the functionality taught by King, for the purpose of enabling safe and reversible translations (see King, column 1, line 66 to column 2, line 4) of source code to verification models.

With respect to claim 14, Holzmann in view of Edwards in view of King further discloses the limitation wherein the keep preserves the source string in the verification model subject to

Art Unit: 2122

global substitute rules (see King, FIG. 2 and column 3, lines 10-31, which shows checking the mapping table, i.e. for global substitute rules, to determine whether to preserve the source characters or strings).

9. Furthermore, the Examiner would like to direct Applicant's attention to "Software Model Checking: Extracting Verification Models from Source Code" (art of record) and "A Practical Method for Verifying Event-Driven Software" (also art of record), which disclose features of the invention substantially as recited in the claims.

For example, "Software Model Checking..." discloses a method for extracting a verification model from software (see page 3, top), including the control flow (see page 4), using a lookup table (see page 5), and verifying a property with the SPIN model checker (see page 10, bottom). Likewise, "A Practical Method..." discloses extracting a verification model from source code (see section 3) based on mappings, restrictions, and properties to be verified by the SPIN model checker (see section 4).

Conclusion

10. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. U.S. Pat. No. 6,523,172 to Martinez-Guerra et al. discloses a parser and translator for translating data from one format to another based on user-specified test and transformation statements. U.S. Pat. No. 6,182,268 to McElvain discloses a method for extracting a finite state machine model from a high level design. U.S. Pat. No. 6,289,502 to Garland et al. discloses a method for model-based software design and validation. U.S. Pat. No. 6,343,376 to Saxe et al. discloses a method for verifying and optimizing a program based on rules or properties.

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael J. Yigdall whose telephone number is (703) 305-0352. The examiner can normally be reached on Monday through Friday from 7:30am to 4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tuan Q. Dam can be reached on (703) 305-4552. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MY

Michael J. Yigdall
Examiner
Art Unit 2122

mjy


TUAN DAM
SUPERVISORY PATENT EXAMINER